NCSN

Report of Findings from the

2009 LPN/VN Nursing Knowledge Survey

National Council of State Boards of Nursing, Inc. (NCSBN ®)

Mission Statement

The National Council of State Boards of Nursing, composed of member boards, provides leadership to advance regulatory excellence for public protection.

Copyright ' 2010 National Council of State Boards of Nursing, Inc. (NCSBN®)

All rights reserved. NCSBN®, NCLEX®, NCLEX-RN®, NCLEX-PN®, Nursys® and TERCAP® are registered trademarks of NCSBN and this document may not be used, reproduced or disseminated to any third party without written permission from NCSBN.

Permission is granted to boards of nursing to use or reproduce all or parts of this document for licensure related purposes only. Nonprofit education programs have permission to use or reproduce all or parts of this document for educational purposes only. Use or reproduction of this document for commercial or for-profit use is strictly prohibited. Any authorized reproduction of this document shall display the notice: "Copyright by the National Council of State Boards of Nursing, Inc. All rights reserved." Or, if a portion of the document is reproduced or incorporated in other materials, such written materials shall include the following credit: "Portions copyrighted by the National Council of State Boards of Nursing, Inc. All rights reserved."

Address inquiries in writing to NCSBN Permissions, 111 E. Wacker Drive, Suite 2900, Chicago, IL 60601-4277. Suggested Citation: National Council of State Boards of Nursing. (2010). Report of Findings from the 2009 LPN/VN Nursing Knowledge Survey. Chicago: Author.

Printed in the United States of America

ISBN# 978-0-9822456-9-9

TABLE OF CONTENTS

Acknowledgments vii
Executive Summary 1
I. Background of Study 11
II. Methodology 12
Methodology Reviewers 12
Panel of SMEs 12
Survey Development 12
Survey Process 13
Sample Selection 13
Representativeness 13
Mailing Procedure 15
Con“dentiality 15
Return Rates 15
Knowledge Survey Nonresponder Study 16
Summary 16
III. Demographics, Experiences and Practice Environments of Participants 17
Demographics/Past Experiences 17
Nursing Licenses Held 17
Gender 17
Survey Adequacy 17
Age 17
Race/Ethnic Background 17
Education Background 18
Primary Language 18
Years of Experience 18
Facilities 19
Client Health Conditions 19
Client Ages 21
Employment Setting/Specialty 21
Summary 22
IV. Knowledge Statement and Laboratory Value Findings 23
Overview of Methods 23
SME Validation of Survey Findings 23
Representativeness of Knowledge Statements 23
Reliability of Instrument 23
Knowledge Statements 23
Importance of Knowledge Statements 23
Knowledge Statement Subgroup Analysis 29
Primary Job Title 29
Facility 29
Laboratory Values 29

Laboratory Value Subgroup Analysis. 29
Primary Job Title 29
Facility

LIST OF TABLES

Table 1. Representativeness of Responders by NCSBN Jurisdiction. 13
Table 2. Adjusted Return Rates 15
Table 3. Analyzable Return Rates 15
Table 4. Employment Setting/Specialty 21
Table 5. Most and Least Important Knowledge Statements 24
Table 6. Knowledge Statement Importance Ratings 25
Table 7. Laboratory Value Findings 30

LIST OF FIGURES

Figure 1. Licenses by Primary Job Title 17
Figure 2. Gender by Primary Job Title 17
Figure 3. Survey Coverage Adequacy by Primary Job Title 18
Figure 4. Race/Ethnic Background by Primary Job Title 18
Figure 5. Educational Background by Primary Job Title 19
Figure 6. Primary Language by Primary Job Title 19
Figure 7. Facility by Primary Job Title 20
Figure 8. Client Health Conditions 20
Figure 9. Client Ages by Primary Job Title. 20

ACKNOWLEDGMENTS

This study would not have been possible without support from a large number of newly-licensed practical/vocational nurses (LPN/VNs), LPN/VN educators and LPN/VN supervisors from all parts of the U.S. The time and attention they gave to completing the survey is greatly appreciated, and the information they provided has increased our understanding of the work performed by newly-licensed LPN/VNs. NCSBN

The “nal version of the survey contained four sections. The “rst section began with the initial identi“cation of responder characteristics and then focused on the knowledge necessary for newly-licensed LPN/VN practice, asking responders to rate the importance of each knowledge statement by using a 1 to 5 point scale. In addition, as noted above, responders were asked whether it is important to memorize 30 speci“c normal laboratory values (using a yes/no scale). Section two identi“ed the participant•s work environment, including area of practice, type of client and employment setting/specialty. Section three focused on demographic information, such as racial/ethnic background, highest obtained education degree and gender. The “nal section asked participants to provide contact information if they were willing to answer additional questions by phone or e-mail.

Survey Process

Sample Selection

Newly Licensed LPN/VNs: A random sample of 2,150 LPN/VNs was selected from a list of candidates who passed the NCLEX-PN® Examination between Jan. 1 and Feb. 17, 2009. Only candidates with a U.S. mailing address within the jurisdiction in which they were seeking licensure were included in the sample. This strategy was employed to minimize the number of incorrect addresses to which surveys would be sent.

LPN/VN Educators: In addition, surveys were sent to 2,100 LPN/VN Educators at 700 different nursing programs. There were three surveys sent to each dean/director of the nursing program to distribute to (1) a medical/surgical (med/surg) nursing instructor; (2) an obstetrics-gynecology/pediatric (OB-GYN/peds) nursing instructor; and (3) a mental health or community health nursing instructor. Each of the programs in the sample had at a minimum of nine NCLEX candidates within the last two calendar years (2007 and 2008). In the event that faculty was unable to complete the survey, the dean/directors were asked to give the survey to a med/surg faculty member.

LPN/VN Supervisors: Finally, 2,100 employers (from 700 nursing homes, 700 hospitals and 700 home health agencies) of newly-licensed LPN/VNs were surveyed. This list came from a substantially larger mailing list, but the selection of employers to be included in the survey was also based upon the number of LPN/VN employees working for the facility. This criterion was applied in order to maximize the likelihood that the employer would have some ocess: T* [(m bate Boarrveys)]TJ T* 0 the jurisdiser iso ma

Survey Adequacy

The responders were asked to rate how well the knowledge statements represented the knowledge areas a newly-licensed LPN/VN should possess by choosing one of four options: Poorly, Adequately,

Summary

The average Newly Licensed LPN/VN responder was an English-speaking, White female with an average age of 34 years. She held an LPN/VN diploma/certi“cate and primarily worked in a long-term care facility caring for older adults (ages 65-85) with stabilized chronic health conditions. She had been an LPN/VN for just under one year.

The average LPN/VN Educator responder was an English-speaking, White female with an average age of 49.9 years. She held an RN Baccalaureate degree from an institution within the U.S. She primarily worked in a hospital caring for older adults (ages 65-85) with acute conditions. She had been an LPN/VN Educator for almost nine years.

The average LPN/VN Supervisor responder was an English-speaking, White female with an average age of 49.6 years. She held an RN Associate or Baccalaureate degree from an institution within the U.S. She worked in long-term care facilities caring for older clients (ages 65-85) exhibiting acute, as well as unstabilized, chronic health conditions. On average, she had been a LPN/VN supervisor for 16 years.

KNOWLEDGE STATEMENT AND LABORATORY VALUE FINDINGS

Overview of Methods

The 2009 LPN/VN Nursing Knowledge Survey asked responders to rate the importance of knowledge statements necessary for a newly-licensed LPN/VN to practice safely and effectively. Responders were asked to rate the overall importance of each knowledge statement considering safe and effective professional LPN/VN practice, regardless of practice setting. Importance was rated by using a “ve-point (1-5) scale.

SME Validation of Survey Findings

The SME Panel for the 2009 LPN/VNs Nursing Knowledge Survey was asked to provide independent ratings of the 116 knowledge statements.

In order to validate the results of the survey, the importance ratings estimated by SMEs were compared to the average importance ratings from the knowledge survey. There was, in general, consistency among the highest importance ratings for Newly Licensed LPN/VNs, LPN/VN Educators, LPN/VN Supervisors and SMEs. Additionally, there was consistency among the knowledge statements ranked lowest in importance among Newly Licensed LPN/VNs, LPN/VN Educators, LPN/VN Supervisors and SMEs. There seems to be evidence from several sources that provide convergent validity on the knowledge needed by newly-licensed LPN/VNs in order to practice safely and effectively.

The importance ratings of SMEs compared to the ratings of each subgroup were very similar. In fact, there were no knowledge statement ratings that were one point different between SMEs and Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors. Again, the information on knowledge needed by newly-licensed LPN/VNs from multiple sources provides a more accurate description than a single source.

Representativeness of Knowledge Statements

The participants were asked whether the knowledge areas listed on the survey represented knowledge that a newly-licensed LPN/VN should possess. A large percentage of Newly Licensed LPN/VNs (64.4%), LPN/VN Educators (56.8%) and LPN/VN Supervisors (62.1%) responded that the survey represented the necessary knowledge Very Well. Moreover, 92.9% of Newly Licensed LPN/VNs, 92.8% of LPN/VN Educators and 89.6% of LPN/VN Supervisors noted that the knowledge statements covered the knowledge that a newly-licensed LPN/VN should possess Well or Very Well.

Reliability of Instrument

A reliability index (coef“cient alpha) was calculated to evaluate the internal consistency of the survey instrument. Alpha coef“cients range from 0 to 1; a value of 0.7 or greater is considered adequate (Cronbach, 1951). The resulting value of 0.98 for this survey instrument suggests this survey reliably measures the knowledge that a newly-licensed LPN/VN needs for safe and effective practice.

Knowledge Statements

Importance of Knowledge Statements

The safe and effective practice of newly-licensed LPN/VNs was determined by participants• responses based on an importance rating scale. The responders were asked, •How important is the possession of this knowledge by a newly-licensed LPN/VN for safe and effective professional practice, regardless of speci“c practice setting?Ž Importance ratings were recorded using a “ve-point scale: 1 = Not Important; 2 = Marginally Important; 3 = Moderately Important; 4 = Important; and 5 = Critically Important. Average importance ratings were calculated by including all importance ratings regardless of practice setting. The SME panel ratings and survey respondent ratings of the 116 knowledge statements yielded very similar results.

All primary job titles (Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors) rated vital signs and aseptic and sterile techniques among the “ve most important knowledge statements. In terms of the least important knowledge statements, all primary job titles (including the SMEs) rated insurance requirements and inventory control as the two least important, with alternative/complementary therapy also among the “ve least important knowledge statements.

Knowledge Statement Subgroup Analysis

Primary Job Title

The average knowledge statement importance ratings of Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors were cross-analyzed for meaningful differences among these job titles. The least important knowledge statement for Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors was insurance requirements, with an average value of 3.15, 2.71 and 2.64, respectively. The most important knowledge statement for Newly Licensed LPN/VNs and LPN/VN Supervisors was vital signs, with an average value of 4.76 and 4.81. LPN/VN Educators rated how to correctly identify clients as the most important knowledge statement, with an average value of 4.89. In general, there were few differences in importance ratings based upon job title.

Facility

The average importance ratings of the knowledge statements for responders from hospitals, long-term care facilities, community-based facilities and other facilities were cross-analyzed for meaningful differences. Responders who worked in one of the four types of facilities rated insurance requirements and inventory control as the least important knowledge statements; the average ratings for insurance requirements were 2.70, 2.96, 3.07 and 2.77 and the average ratings for inventory control were 2.80, 3.00, 3.06 and 2.94, respectively. The most important knowledge statement for responders working in long-term care, community-based and other facilities was vital signs, with average importance ratings of 4.80, 4.78 and 4.87. This knowledge statement was the third most important for responders working in hospitals, with an average rating of 4.85. The two most important knowledge statement for responders working in hospitals were aseptic and sterile techniques, and how to correctly identify clients, both with an average rating of 4.86; aseptic and sterile techniques was the second most important for responders working in community-based facilities and the third most important for responders working in other facilities.

Laboratory Values

The importance of memorizing speci“c normal laboratory values with regard to the safe and effective practice of newly-licensed LPN/VNs was determined by participants• yes or no responses to each laboratory value listed in the survey.

Laboratory Value Subgroup Analysis

Primary Job Title

The percentages of responders answering yes to the importance of memorizing the normal laboratory values listed in the survey were cross-analyzed among Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors. Of the Newly Licensed LPN/VNs, 39.7% answered that newly-licensed

nurses needed to know normal lab value for AST (SGOT). There were 17.3% of LPN/VN Educators and 13.6% of LPN/VN Supervisors who answered that newly-licensed nurses needed to remember normal lab value for phosphorus/phosphate. The highest percent answering yes to memorizing the normal lab value for glucose was 95.8% of Newly Licensed LPN/VNs, 96.3% of LPN/VN Educators and 91.4% of LPN/VN Supervisors.

Facility

The need to memorize laboratory values based upon

Report of Findings from the

2009 LPN/VN Nursing Knowledge Survey

National Council of State Boards of Nursing, Inc. (NCSBN®)

BACKGROUND OF STUDY

The National Council of State Boards of Nursing (NCSBN®) is responsible to its members, the boards of nursing in the U.S. and member board territories, for the preparation of psychometrically sound and legally defensible licensure examinations (American Educational Research Association, American Psychological Association and National Council on Measurement in Education, 1999). Practice analysis studies assist NCSBN in evaluating the validity of n
i.e.embersimporta18(knowledge sl ofr)18s(NCty of n 12T* .01will be u edosibln Twmbleemegavelopr)18.ogi with

A number of steps are necessary to perform an analysis of the knowledge needed by newly-licensed LPN/VNs. This section provides a description of the methodology used to conduct the 2009 LPN/VN Nursing Knowledge Survey. Descriptions of subject matter expert (SME) panel processes, survey development, sample selection and data collection procedures are provided, as well as information about con“dentiality, response rates and the degree to which participants were representative of the population of Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors.

Methodology Reviewers

There were three methodology reviewers, chosen for their psychometric expertise in practice/job analysis and certi“cation exam development, who reviewed the methodologies and procedures utilized in this study. All three reviewers indicated these methodologies were psychometrically sound, legally defensible and in compliance with professional testing standards. See Appendix A for a listing of methodology reviewers.

Panel of SMEs

A panel of nine LPN/VNs was assembled to assist with the creation of the nursing knowledge survey. Panel members all worked with and/or supervised the practice of newly-licensed LPN/VNs within their “rst six months of practice or were newly-licensed LPN/VNs themselves. One member served on the 2009 LPN/VN Practice Analysis Subject Matter Expert Panel and agreed to serve on this panel in order to provide continuity between the panels. The panelists also represented the four geographic areas of NCSBN constituents, as well as major nursing specialties. See Appendix B for a list of panel members.

Survey Development

A number of processes were used to create, evaluate and re“ne the survey instrument used for the 2009 LPN/VN Nursing Knowledge Survey. InMractice AnalyNs wadrlientine e181 ugment usedf 9ewers, cho

arsurv10 T[(ar)d agr

participants to provide contact information if they would be willing to answer additional questions by phone or e-mail. The survey used in the 2009 LPN/VN Nursing Knowledge Survey may be found in Appendix C.

Survey Process

Sample Selection

Newly Licensed LPN/VNs: A random sample of 2,150 LPN/VNs was selected from a list of candidates who passed the NCLEX-PN® Examination between Jan. 1 and Feb. 17, 2009. Only candidates with a U.S. mailing address within the jurisdiction in which they were seeking licensure were included in the sample. This strategy was employed to minimize the number of incorrect addresses to which surveys would be sent.

LPN/VN Educators: In addition, surveys were sent to 2,100 LPN/VN Educators at 700 different nursing programs. There were three surveys sent to each dean/director of the nursing program with instructions for them to distribute the surveys to (1) a medical/surgical (med/surg) nursing instructor; (2) an obstetrics-gynecology/pediatric (OB-GYN/peds) nursing instructor; and (3) a mental health or community health nursing instructor. Each of the programs in the sample had a minimum of nine NCLEX candidates within the last two calendar years (2007 and 2008). In the event that faculty was unable to complete the survey, the dean/directors were asked to give the survey to a med/surg faculty member.

LPN/VN Supervisors: Finally, 2,100 employers (from 700 nursing homes, 700 hospitals and 700 home health agencies) of newly-licensed LPN/VNs were surveyed. This list came from a substantially larger mailing list, but the selection of employers to be included in the survey was also based upon the number of LPN/VN employees working for the company. This criterion was applied in order to maximize the likelihood that the employer would have some newly-licensed LPN/VNs and supervisors of newly-licensed LPN/VNs.

Representativeness

Table 1 presents the correspondence of samples and responders within each primary job title by NCSBN jurisdiction. Because multiple surveys were sent to LPN/VN Educators of an institution, all responders from a single institution were counted only as one in the representativeness calculation. As shown in

Table 1, the percentage of responders from different jurisdictions is similar to the sample distribution.

Mailing Procedure

Survey forms were mailed to a total of 6,350 potential responders (2,150 Newly Licensed LPN/VNs, 2,100 LPN/VN Educators and 2,100 LPN/VN Supervisors). A "ve-stage mailing process was used to engage the participants in the study. A presurvey letter was sent to each person or facility selected for the sample. One week later, the survey, with a cover letter and a postage-paid return envelope, was mailed. One week after that, a postcard was sent to all participants reiterating the importance of the study and urging participation. Approximately two weeks after the "rst postcard, a second reminder postcard was sent. A "nal reminder was sent to nonresponders approximately 10 days after the second reminder. The survey was conducted from April through July 2009.

Con"dentiality

All potential participants were promised con"dentiality with regard to their participation and their responses. Preassigned codes were used to facilitate follow-up mailings. Files containing mailing information were kept separate from the data "les. The study protocol was approved by NCSBN•s CEO for compliance with organizational guidelines for research studies involving human subjects.

Return Rates

Of the 6,350 surveys sent, 370 were returned due to incorrect addresses, leaving 5,980 valid invitees. Surveys were returned by 1,664 responders for an adjusted return rate of 27.8%. Within each primary job title, the number of surveys returned due to bad addresses was 39 Newly Licensed LPN/VNs, 33 LPN/VN Educators and 298 LPN/VN Supervisors, resulting in adjusted return rates of 25.9%, 39.8% and 16.4%, respectively. See Table 2 for adjusted return rates.

Of the 1,664 surveys received, 69 responders did not hold either an LPN/VN or RN license or failed to answer the question on job title. As part of the quality control procedures, responses from individuals who did not answer these two questions were removed from the database. The analyzable return rates were 24.9%, 39.1% and 14.5% for Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN

Table 2. Adjusted Return Rates

Job title	Sample	Bad Addresses	Surveys Sent	Adjusted Responses	Adjusted Return Rate
Newly Licensed PNs	2,150	39	2,111	546	25.90%
Educators	2,100	33	2,067	823	39.80%
Supervisors	2,100	298	1,802	295	16.40%
Total	6,350	370	5,980	1,664	27.80%

Table 3. Analyzable Return Rates

Job title	Surveys Sent	Invalid Responses	Analyzable Responses	Analyzable Return Rate
Newly Licensed PNs	2,111	21	525	24.90%
Educators	2,067	14	809	39.10%
Supervisors	1,802	34	261	14.50%
Total	5,980	69	1,595	26.70%

Supervisors, respectively; as seen in Table 3. There were 1,595 analyzable surveys or a return rate of 26.7% for the total group.

Knowledge Survey Nonresponder Study

In order to ensure the validity of the results, NCSBN conducted a telephone survey of nonresponders to determine if those LPN/VNs not responding would have rated the Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors knowledge statements differently than the survey responders. If there are no systematic differences in responders versus nonresponders, it would seem that the results are not biased and the nonresponder study provided evidence to support the validity of survey results. A strati“ed random sample of Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors who did not participate in the survey were contacted via telephone. Of the potential contacts, a telephone interview was obtained from a total of 90 nurses: 30 Newly Licensed LPN/VNs, 30 LPN/VN Educators and 30 LPN/VN Supervisors. The study found that the majority of nonresponders were either too busy to respond or did not receive the initial survey invitation. More importantly, the study found that the nonresponders rated the knowledge statements similarly to how responders rated them; this similarity supports validity of the results of this study. See Appendix N for the results of the nonresponder study.

Summary

A panel of nine SMEs met and created a list of knowledge statements necessary for competent job performance relating to public safety. A data collection instrument was developed and sent to 6,350 individual nurses. The surveyed nurses were divided into the following primary job titles: 2,150 Newly Licensed LPN/VNs, 2,100 LPN/VN Educators and 2,100 LPN/VN Supervisors. An overall 26.7% response rate of analyzable surveys was obtained. This analysis contains the responses of 527 newly-licensed LPN/VNs, 822 LPN/VN Educators and 246 Supervisors.[1]

1 The numbers of responses for the analyses do not match the numbers for each primary job title shown in Table 3. This occurred because the statistics in Tables 1-3 were derived from the primary job title to which the survey was mailed, whereas the analyses were conducted based upon the primary job title to which the respondent identi“ed themselves.

Demographics/Past Experiences

Demographic information, including racial and ethnic backgrounds, educational preparation and

Figure 5. Educational Background by Primary Job Title



in months and years LPN/VN Educators and LPN/VN Supervisors worked in their jobs. LPN/VN Supervisors had spent the longest time at their jobs (16 years) compared to LPN/VN Educators, who spent an average of 8.8 years in their jobs.

Facilities

The majority of Newly Licensed LPN/VNs (50.9%) and LPN/VN Supervisors (51.1%) worked in long-term care. LPN/VN Educators worked most frequently in hospitals (62.7%).See Figure 7 for responder nurses• facility sorted by primary job title. [2]

Client Health Conditions

The majority of Newly Licensed LPN/VNs (51.0%) worked with clients having stabilized chronic conditions. LPN/VN Educators (69.7%) and LPN/VN Supervisors (60.2%) reported working with clients exhibiting acute conditions; though a large percentage of LPN/VN Supervisors also worked with

clients having unstabilized chronic health conditions (58.1%). As nurses often work with clients with varying conditions, responders were allowed to give multiple answers, resulting in percentages within each job title totaling more than 100%. See Figure 8 for client conditions sorted by primary job title.

Client Ages

The most frequent response for Newly Licensed LPN/VNs (69.3%), LPN/VN Educators (75.5%) and LPN/VN Supervisors (83.7%) was caring for older adults aged 65-85. The ability to give multiple answers allows for percentages to equal more than 100%.See Figure 9 for client ages sorted by primary job title.

Employment Setting/Specialty

The employment setting most frequently given by Newly Licensed LPN/VNs (46.9%) and LPN/VN

Overview of Methods

The 2009 LPN/VN Nursing Knowledge Survey asked responders to rate the importance of knowledge statements necessary for a newly-licensed LPN/VN to practice safely and effectively. Responders were asked to rate the overall importance of each knowledge statement considering safe and effective professional LPN/VN practice, regardless of practice setting. Importance was rated by using a “ve-point (1-5) scale.

SME Validation of Survey Findings

The SME Panel for the 2009 LPN/VNs Nursing Knowledge Survey was asked to provide independent ratings of the 116 knowledge statements. See Appendix D for average importance ratings by SMEs

In order to validate the results of the survey, the importance ratings estimated by SMEs were compared to the average importance ratings from the knowledge survey. As can be seen in Table 5, there was, in general, consistency among the highest importance ratings for Newly Licensed LPN/VNs, LPN/VN Educators, LPN/VN Supervisors and SMEs. Additionally, there was consistency among the knowledge statement ranked lowest in importance among Newly Licensed LPN/VNs, LPN/VN Educators, LPN/VN Supervisors and SMEs. There c2(, th.i)struings92(ggmpos9 Lis)18(pr)18esmd thsedmea .264 Tw (029r)18(c2(,ts of wledge-)]TJ T* sby ungom seems to be evidence from several sources thaEi(.-)]TJ T 34 Tw [(fr)18(ovide covher)18gment valilty ion(t fractice safely and effectively.(The ratings of SMEs)]TJ T* .316 Tw[(co(par)18(ed to surve (

The “ve least important and the “ve most important knowledge statements for all primary job titles are shown in Table 5. All primary job titles (Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors) rated vital signs, and aseptic and sterile techniques among the “ve most important knowledge statements. In terms of the least important knowledge statements, all primary job titles (including SMEs) rated insurance requirements, inventory control as the two least important, with alternative/complementary therapy also among the “ve least important knowledge statements.

The average importance ratings sorted by primary job title (Newly Licensed LPN/VN, LPN/VN Educator and LPN/VN Supervisor) for all of the knowledge statements are presented in Table 6. Additionally, Appendices E, F and G present the information in rank order of importance for each of the primary job titles as compared to ratings of SMEs.

Table 6. Knowledge Statement Importance Ratings

Survey position #	Knowledge of:	Newly Licensed LPN/VNs			LPN/VN Educator			LPN/VN Supervisor		
		N	Avg.	Std. Err.	N	Avg.	Std. Err.	N	Avg.	Std. Err.
36	cultural/religious beliefs or practices	516	3.87	0.04	817	3.93	0.03	243	3.71	0.05
37	information technology	517	3.67	0.04	814	3.73	0.03	240	3.77	0.05
38	data collection and analysis	516	4.13	0.04	817	4.11	0.03	243	3.68	0.06
39	disease processes	516	4.34	0.03	814	4.42	0.02	242	4.38	0.04
40	hazardous/ biohazardous material	515	4.23	0.04	816	4.22	0.03	242	4.05	0.05
41	documentation	516	4.65	0.03	813	4.70	0.02	242	4.72	0.03
42	drug calculations	516	4.59	0.03	818	4.82	0.02	243	4.44	0.05
43	drug classi“cations	513	4.3	0.04	814	4.42	0.02	243	4.34	0.05
44	drug interactions	516	4.54	0.03	817	4.48	0.02	243	4.51	0.04
45	emergency procedures/ equipment	516	4.63	0.03	815	4.52	0.02	242	4.58	0.04
46	enteral tubes	515	4.12	0.04	815	4.09	0.02	241	4.11	0.05
47	environment	516	3.71	0.04	810	3.79	0.03	242	3.64	0.06
48	error/occurrence reporting	515	4.22	0.04	817	4.14	0.03	239	4.14	0.06
49	evaluation techniques	513	3.98	0.04	809	3.98	0.03	242	3.67	0.06
50	evidence-based practice	514	3.82	0.04	813	3.93	0.03	242	3.80	0.06
51	facility policy	516	4.03	0.04	811	4.18	0.03	240	4.09	0.06
52	facility resources	513	3.92	0.04	812	3.82	0.03	241	3.79	0.05
53	feeding equipment/pumps	515	4.15	0.04	806	4.03	0.03	240	4.07	0.05
54	fetal monitoring	513	3.93	0.05	814	3.08	0.04	238	2.85	0.09
55	“scal responsibility	513	3.50	0.05	815	3.08	0.03	240	3.10	0.07
56	generic drug names	514	4.23	0.04	813	4.15	0.03	242	4.17	0.05
57	hazardous conditions	517	4.29	0.04	814	4.24	0.03	241	4.08	0.05
58	high risk behaviors	516	4.36	0.03	817	4.23	0.03	242	4.22	0.05
59	Health Insurance Portability and Accountability Act (HIPAA)	517	4.38	0.04	817	4.57	0.02	243	4.34	0.06
60	human growth and development	516	3.84	0.04	815	4.02	0.03	243	3.70	0.06
61	immobilizing equipment	516	3.74	0.04	811	3.69	0.03	243	3.56	0.05
62	immunization types and recommendations	515	3.90	0.04	814	3.63	0.03	243	3.54	0.06
63	infection control	511	4.72	0.02	811	4.79	0.02	240	4.69	0.04
64	insurance requirements	515	3.15	0.05	813	2.71	0.04	242	2.64	0.07
65	intake/output	516	4.22	0.04	813	4.54	0.02	243	4.32	0.05
66	interdisciplinary team and process	516	3.67	0.04	816	3.69	0.03	241	3.88	0.06
67	inventory control	513	3.26	0.05	808	2.74	0.04	239	2.74	0.06
68	irrigation procedures	517	4.02	0.04	814	3.94	0.03	243	3.86	0.06
69	isolation equipment/ supplies	515	4.26	0.04	813	4.44	0.02	243	4.35	0.05
70	lab values	514	4.43	0.03	809	4.34	0.03	243	4.21	0.05

Table 6. Knowledge Statement Importance Ratings

Survey position #	Knowledge of:	Newly Licensed LPN/VNs			LPN/VN Educator			LPN/VN Supervisor		
		N	Avg.	Std. Err.	N	Avg.	Std. Err.	N	Avg.	Std. Err.
71	leadership and management skills	515	3.83	0.04	810	3.58	0.03	241	3.51	0.06
72	learning styles	516	3.48	0.05	814	3.32	0.03	241	3.27	0.06
73	client level of acuity	515	3.97	0.04	814	3.90	0.03	241	3.87	0.06
74	location of Material Safety Data Sheets (MSDS)	516	3.77	0.04	814	3.64	0.04	242	3.60	0.06
75	medication reconciliation	513	4.19	0.04	807	4.12	0.03	241	4.23	0.06
76	nasogastric (NG) procedure	515	4.09	0.04	818	4.08	0.03	242	3.88	0.06

Knowledge Statement Subgroup Analysis

Primary Job Title

The average knowledge statement importance ratings of Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors were cross-analyzed for meaningful differences among these job titles. Appendix J presents a table with each knowledge statement•s average value for each primary job title. The least important knowledge statement for Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors was insurance requirements, with an average value of 3.15, 2.71 and 2.64, respectively. The most important knowledge statement for Newly Licensed LPN/VNs and LPN/VN Supervisors was vital signs, with an average value of 4.76 and 4.81. LPN/VN Educators rated how to correctly identify clients as the most important knowledge statement, with an average value of 4.89. In general, there were few differences in importance ratings based upon job title.

Facility

The average importance ratings of the knowledge statements for responders from hospitals, long-term care facilities, community-based facilities and other facilities were cross-analyzed for meaningful differences. Responders who worked in all four types of facilities rated insurance requirements and inventory control as the least important knowledge statements; the average ratings for insurance requirements were 2.70, 2.96, 3.07 and 2.77 and the average ratings for inventory control were 2.80, 3.00, 3.06 and 2.94, respectively. The most important knowledge statement for responders working in long-term care, community-based and other facilities was vital signs, with average importance ratings of 4.80, 4.78 and 4.87. This knowledge statement was the third most important for responders working in hospitals, with an average rating of 4.85. The two most important knowledge statement for responders working in hospitals were aseptic and sterile techniques, and how to correctly identify clients, both with an average rating of 4.86; aseptic and sterile techniques was the second most important for responders working in community-based facilities and the third most important for responders working in other facilities. Average importance values for all knowledge statements by facility appear in Appendix K.

Laboratory Values

The importance of memorizing speci“c normal laboratory values with regard to the safe and effective practice of newly-licensed LPN/VNs was determined by participants• yes or no responses to each laboratory value listed in the survey. The percentage of responders answering yes to each of the 30 laboratory values appears in Appendix H in survey order and can also be found ranked by percentage answering yes in Appendix I and in Table 7.

Laboratory Value Subgroup Analysis

Primary Job Title

The percentages of responders answering yes to the importance of memorizing the laboratory values listed in the survey were cross-analyzed among Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors. Of those lowest values, 39.7% of Newly Licensed LPN/VNs answered that newly-licensed nurses needed to know normal lab value for AST (N0wTll)The p18(e wer)18(e)]17.3of Ne

Licensed LPN/VNs, LP96.3of NeN/VN Educators r4of NeN/VN Supervisors waswered ths to

CONCLUSIONS

Based upon the reliability of the knowledge statement instrument, the survey of nonresponders, the validation of the knowledge statement importance ratings by SMEs, and the similarity of knowledge statement importance ratings by Newly Licensed LPN/VNs, LPN/VN Educators and LPN/VN Supervisors, as well as the rigorous processed used for survey development, the results of this survey can be used to inform item development.

REFERENCES

American Educational Research Association, American Psychological Association and National Council

APPENDIX A: 2009 LPN/VN NURSING KNOWLEDGE SURVEY METHODOLOGY REVIEWERS

Deirdre Knapp, PhD , is the director of the Assessment, Training, and Policy Studies Division at the Human Resources Research Organization (HumRRO). She also serves as vice president of the organization. Knapp has over 25 years of experience in conducting and managing personnel and testing related research. Her research emphasis is on designing and administering performance assessments. In that capacity, Knapp is a leader in the “eld of job analyses and practice analyses. Prior to her 20 years of service in HumRRO, she worked as a research psychologist at the U.S. Army Research Institute for the Behavioral and Social Sciences (ARI).

Ira Bernstein, PhD , is a professor in the Department of Clinical Sciences at the University of Texas Southwestern Medical Center. He also holds joint appointments at the University of Texas School of Health Professions and at the University of Texas at Arlington. For the last 10 years, Dr. Bernstein has served as consulting editor for a number of peer review journals, such as Behavior Research Methods and Educational and Psychological Measurements. Bernstein is an expert in the “eld of measurement and psychometric. He is one of the researchers funded by the NCSBN Joint Research Committee (JRC) in 2009.

Michael Rosenfeld, PhD , is president of Rosenfeld and Associates. His recent research focused on the

APPENDIX B: SUBJECT MATTER EXPERT PANEL FOR THE 2009 LPN/VN NURSING KNOWLEDGE SURVEY

Area I

Member: Tammy Talley, LPN
Executive Director
Riverside Health Care Center

Board: Montana State Board of Nursing

Specialty: Long-Term Care Nursing

Talley has worked for 20 years in practical nursing with experience in physician•s clinics and long-term care. She oversees a 72-bed facility operation, including staf“ng, budgets, communicating with residents and family members, as well as communications with physicians. She is responsible for Quality Assurance/ Continuous Quality Improvement, Occupational Safety and Health Administration regulations, workman•s compensation, safety committee, staff education and survey compliance issues. As administrator of her facility, Talley is also involved in the hiring and selection of new staff. She pairs new nurses with nurses of similar interests and backgrounds, and personally meets with each new nurse weekly to oversee their orientation.

Member: Mary Banayat, RN
Faculty

Board: Arizona State Board of Nursing

Specialty: Faculty

Banayat has more than “ve years of nursing experience, with practical nursing experience in telemetry and med/surg. She currently teaches in an LPN/VN program and has experience orienting and precepting new LPN/VNs.

Area II

Member: Margaret Birkholz, LPN
Clinical Nursing Supervisor
Altru Health System

Board: North Dakota Board of Nursing

Specialty: Med/Surg Nursing

Birkholz has 25 years of practical nursing experience in family practice. She supervises LPN/VNs in obstetrics, pediatrics, psychiatric, internal medicine and anesthetics departments. She was a member of the North Dakota Board of Nursing Practice Subcommittee (2006-2008) and a past member of Utilization Research and Review Committees. In her current role, she participates in the orientation and mentoring of new nurses to the organization.

Area III

Member: Tina Nicholson, RN
Charge Nurse
St. Vincent•s Birmingham

Board: Alabama Board of Nursing

Specialty:

Area IV

Member: Melanie Terrano, LPN
Charge Nurse
Windsor County Corrections

Board: Vermont Board of Nursing

Specialty: Geriatrics, Corrections Nursing

Terrano is a new LPN/VN graduate with practical nursing experience in med/surg, triage, geriatrics and corrections.

Member: Christine Naas, LPN
Staff
Southern New Hampshire Medical Center

Board: New Hampshire Board of Nursing

Specialty: Acute Care

Naas has over 25 years of nursing experience with clinical experience in acute care, critical care/ICU, pre-op, med/surg, psychiatrics and pediatrics. She serves as a member of the Southern New Hampshire Medical Center Ethics Committee and is a board of nursing liaison to the Practice and Education Committee.

APPENDIX C: 2009 LPN/VN NURSING KNOWLEDGE SURVEY

APPENDIX E: NEWLY LICENSED LPN/VN AND SME KNOWLEDGE STATEMENT RATINGS RANK ORDERED BY NEWLY LICENSED LPN/VN AVERAGE IMPORTANCE

Preface: How important is the possession of this knowledge by a newly-licensed LPN/VN for safe and effective professional practice, regardless of speci“c practice setting?

Table E. Newly Licensed LPN/VN and SME Knowledge Statement Ratings Rank Ordered by Newly Licensed LPN/VN Average Importance

Survey position #	Knowledge of:	Newly Licensed LPN/VNs			SMEs			Avg. Difference
		N	Avg.	Std. Err.	N	Avg.	Std. Err.	
73	client level of acuity	515	3.97	0.04	6	3.83	0.48	0.14
49	evaluation techniques	513	3.98	0.04	6	3.50	0.34	0.48
97	rules of delegation/assignment	515	4.00	0.04	6	3.83	0.40	0.17
68	irrigation procedures	517	4.02	0.04	6	3.67	0.33	0.35
34	coping mechanisms	515	4.02	0.03	6	3.67	0.21	0.35
51	facility policy	516	4.03	0.04	6	4.33	0.21	-0.30
14	chart review	513	4.04	0.04	6	2.83	0.48	1.21
31	continuing education needs/opportunities	514	4.05	0.04	6	3.33	0.33	0.72
30	con”ict resolution	517	4.06	0.03	6	3.50	0.34	0.56
23	client medical records	515	4.07	0.04	6	3.67	0.33	0.40
88	proper use and maintenance of equipment	513	4.07	0.03	6	3.83	0.40	0.24
16	client compliance	517	4.07	0.04	6	3.83	0.17	0.24
15	client abilities	512	4.07	0.03	6	4.00	0.26	0.07
114	treatment options	513	4.08	0.04	6	3.33	0.21	0.74
3	advance directives	513	4.08	0.04	6	4.00	0.26	0.08
76	nasogastric (NG) procedure	515	4.09	0.04	6	3.83	0.31	0.25
113	trade names for medications	514	4.10	0.04	6	3.50	0.43	0.60
27	communication techniques	517	4.10	0.03	6	4.00	0.26	0.10
1	accepted medical/nursing abbreviations	516	4.11	0.04	6	4.33	0.42	-0.22
46	enteral tubes	515	4.12	0.04	6	4.00	0.26	0.12
38	data collection and analysis	516	4.13	0.04	6	4.17	0.17	-0.04
33	coordination of care	514	4.14	0.03	6	4.00	0.26	0.14
98	safe hand-off/reporting process	512	4.15	0.04	6	4.17	0.31	-0.02
32	continuity of care	516	4.15	0.03	6	4.17	0.17	-0.02
53	feeding equipment/pumps	515	4.15	0.04	6	4.00	0.26	0.15
26	communication barriers (e.g., hearing or language)	512	4.16	0.03	6	4.00	0.26	0.16
11	body mechanics	513	4.17	0.04	6	4.33	0.33	-0.17
6	client goals/outcomes	514	4.17	0.04	6	3.67	0.21	0.5
77	nutrition	516	4.17	0.04	6	3.83	0.31	0.34
8	assessment equipment	515	4.17	0.03	6	4.17	0.31	0.00
75	medication reconciliation	513	4.19	0.04	6	4.00	0.37	0.19
48	error/occurrence reporting	515	4.22	0.04	6	3.67	0.42	0.55
65	intake/output	516	4.22	0.04	6	4.33	0.21	-0.11
24	client positioning	516	4.22	0.03	6	4.33	0.33	-0.11
56	generic drug names	514	4.23	0.04	6	3.67	0.42	0.56
40	hazardous/biohazardous material	515	4.23	0.04	6	4.00	0.37	0.23
80	patient bill of rights	514	4.25	0.03	6	4.50	0.22	-0.25
20	client education	516	4.25	0.03	6	3.83	0.31	0.41
108	specimen collection procedure	514	4.25	0.03	6	3.83	0.17	0.42
107	speci“c medication names	516	4.25	0.04	6	3.83	0.48	0.42

Table E. Newly Licensed LPN/VN and SME Knowledge Statement Ratings Rank Ordered by Newly Licensed LPN/VN Average Importance

Survey position #	Knowledge of:	Newly Licensed LPN/VNs			SMEs			Avg. Difference
		N	Avg.	Std. Err.	N	Avg.	Std. Err.	
69	isolation equipment/supplies	515	4.26	0.04	5	4.20	0.37	0.06
81	personal limitations of the nurse	512	4.28	0.04	6	4.67	0.21	-0.39
57	hazardous conditions	517	4.29	0.04	6	4.33	0.21	-0.04
22	client medical history	517	4.29	0.03	6	4.00	0.37	0.29
91	removal procedures (e.g., peripheral intravenous (IV) line, nasogastric (NG) tube or urinary catheter)	511	4.30	0.04	6	3.67	0.49	0.63
43	drug classi“cations	513	4.30	0.04	6	3.17	0.54	1.14
39	disease processes	516	4.34	0.03	6	4.00	0.26	0.34
58	high risk behaviors	516	4.36	0.03	6	4.17	0.17	0.20
85	physical inspection and data collection	515	4.37	0.03	6	4.17	0.31	0.20
5	anatomy/physiology	516	4.37	0.03	6	4.33	0.33	0.04
59	Health Insurance Portability and Accountability Act (HIPAA)	517	4.38	0.04	6	4.50	0.22	-0.12
79	pain scales	516	4.39	0.03	6	4.33	0.21	0.06
99	safety concerns	512	4.41	0.03	6	4.50	0.22	-0.09
84	pharmacology	513	4.42	0.03	6	4.67	0.21	-0.25
87	procedure for processing orders (e.g., verbal, written or telephone)	516	4.43	0.03	6	4.17	0.40	0.26
70	lab values	514	4.43	0.03	6	3.83	0.48	0.59
25	client rights	510	4.44	0.03	6	4.83	0.17	-0.39
105	skin integrity	515	4.46	0.03	6	4.33	0.21	0.13
18	client consent	515	4.47	0.03	6	4.67	0.21	-0.19
82	client privacy	516	4.48	0.03	6	4.50	0.22	-0.02
83	personal protective equipment	514	4.49	0.03	6	4.17	0.31	0.32
17	client condition	515	4.49	0.03	6	4.83	0.17	-0.35
96	risk factors for skin breakdown	516	4.49	0.03	6	4.67	0.21	-0.18
19	client diagnosis/prognosis	515	4.49	0.03	6	4.33	0.33	0.16
86	pressure reduction (e.g., prevention or treatment of pressure ulcer)	515	4.50	0.03	6	4.17	0.31	0.33
44	drug interactions	516	4.54	0.03	6	4.67	0.21	-0.13
104	signs and symptoms of intravenous (IV) line in“ltration	515	4.55	0.03	6	4.67	0.21	-0.12
100	scope of practice	513	4.55	0.03	6	4.50	0.34	0.05
116	wound care	513	4.55	0.03	6	4.17	0.31	0.38
78	pain management	517	4.56	0.03	6	4.67	0.21	-0.11
42	drug calculations	516	4.59	0.03	6	4.17	0.40	0.42
45	emergency procedures/equipment	516	4.63	0.03	6	4.67	0.21	-0.03
29	con“dentiality	513	4.64	0.03	6	4.67	0.21	-0.03
110	standard/universal precautions	514	4.64	0.03	6	4.50	0.22	0.14
41	documentation	516	4.65	0.03	6	4.50	0.22	0.15
21	how to correctly identify client	517	4.66	0.03	6	5.00	0.00	-0.34

Table E. Newly Licensed LPN/VN and SME Knowledge Statement Ratings Rank Ordered by Newly Licensed LPN/VN Average Importance

Survey position #	Knowledge of:	Newly Licensed LPN/VNs			SMEs			Avg. Difference
		N	Avg.	Std. Err.	N	Avg.	Std. Err.	
95	rights of medication administration	517	4.67	0.03	6	4.83	0.17	-0.17
103	signs and symptoms of communicable disease	512	4.69	0.02	6	4.50	0.34	0.19
63	infection control	511	4.72	0.02	6	4.83	0.17	-0.12
35	critical signs and symptoms	514	4.73	0.02	6	4.83	0.17	-0.10
102	signs and symptoms of allergic reaction	516	4.75	0.02	6	4.67	0.21	0.08
7	aseptic and sterile techniques	510	4.75	0.02	6	4.67	0.21	0.08
115	vital signs	513	4.76	0.02	6	4.83	0.17	-0.07

APPENDIX F: LPN/VN EDUCATORS AND SME KNOWLEDGE STATEMENT RATINGS RANK ORDERED BY LPN/VN EDUCATOR AVERAGE IMPORTANCE

Preface: How important is the possession of this knowledge by a newly-licensed LPN/VN for safe and effective professional practice, regardless of speci“c practice setting?

Table F. LPN/VN Educators and SME Knowledge Statement Ratings Rank Ordered by LPN/VN Educator Average Importance

Survey position #	Knowledge of:	LPN/VN Educators			SMEs			Avg. Difference
		N	Avg.	Std. Err.	N	Avg.	Std. Err.	
64	insurance requirements	813	2.71	0.04	6	1.83	0.31	0.87
67	inventory control	808	2.74	0.04	6	2.67	0.42	0.08
54	fetal monitoring	814	3.08	0.04	6	3.50	0.34	-0.42
55	“scal responsibility	815	3.08	0.03	6	2.83	0.31	0.25
4	alternative/complementary therapy	809	3.14	0.03	6	2.67	0.42	0.48
90	referral process	809	3.31	0.03	5	3.40	0.24	-0.09
72	learning styles	814	3.32	0.03	6	3.17	0.31	0.15
109	stages of labor	809	3.34	0.04	6	3.33	0.42	0.01
10	basic cardiac rhythms	814	3.44	0.03	6	2.83	0.31	0.60
112	traction equipment	813	3.50	0.03	6	3.67	0.21	-0.17
92	reporting agencies	814	3.51	0.03	6	3.00	0.26	0.51
28	community resources	813	3.55	0.03	6	2.67	0.33	0.88
14	chart review	815	3.55	0.03	6	2.83	0.48	0.72
71	leadership and management skills	810	3.58	0.03	6	2.83	0.31	0.75
2	admission process	814	3.60	0.03	6	3.00	0.52	0.60

Table F. LPN/VN Educators and SME Knowledge Statement Ratings Rank Ordered by LPN/VN Educator Average Importance								
		LPN/VN Educators			SMEs			Avg. Difference
Survey position #	Knowledge of:	N	Avg.	Std. Err.	N	Avg.	Std. Err.	
36	cultural/religious beliefs or practices	817	3.93	0.03	6	3.67	0.33	0.26
68	irrigation procedures	814	3.94	0.03	6	3.67	0.33	0.27
33	coordination of care	812	3.97	0.03	6	4.00	0.26	-0.03
49	evaluation techniques	809	3.98	0.03	6	3.50	0.34	0.48
30	con”ict resolution	814	3.99	0.03	6	3.50	0.34	0.49
16	client compliance	816	4.01	0.03	6	3.83	0.17	0.17
34	coping mechanisms	810	4.01	0.03	6	3.67	0.21	0.35
60	human growth and development	815	4.02	0.03	6	3.83	0.31	0.18
97	rules of delegation/assignment	815	4.03	0.03	6	3.83	0.40	0.20
53	feeding equipment/pumps	806	4.03	0.03	6	4.00	0.26	0.03
3	advance directives	812	4.06	0.03	6	4.00	0.26	0.06
32	continuity of care	814	4.07	0.03	6	4.17	0.17	-0.10
113	trade names for medications	811	4.08	0.03	6	3.50	0.43	0.58
76	nasogastric (NG) procedure	818	4.08	0.03	6	3.83	0.31	0.25
46	enteral tubes	815	4.09	0.02	6	4.00	0.26	0.09
38	data collection and analysis	817	4.11	0.03	6	4.17	0.17	-0.06
75	medication reconciliation	807	4.12	0.03	6	4.00	0.37	0.12
48	error/occurrence reporting	817	4.14	0.03	6	3.67	0.42	0.48
56	generic drug names	813	4.15	0.03	6	3.67	0.42	0.49
87	procedure for processing orders (e.g., verbal, written or telephone)	816	4.17	0.03	6	4.17	0.40	0.01
77	nutrition	818	4.18	0.02	6	3.83	0.31	0.35
51	facility policy	811	4.18	0.03	6	4.33	0.21	-0.15
13	chain of command	814	4.20	0.03	6	3.83	0.31	0.36
22	client medical history	813	4.20	0.02	6	4.00	0.37	0.20
40	hazardous/biohazardous material	816	4.22	0.03	6	4.00	0.37	0.22
108	specimen collection procedure	813	4.22	0.02	6	3.83	0.17	0.39
15	client abilities	812	4.22	0.02	6	4.00	0.26	0.22
58	high risk behaviors	817	4.23	0.03	6	4.17	0.17	0.06
6	client goals/outcomes	816	4.24	0.02	6	3.67	0.21	0.57
57	hazardous conditions	814	4.24	0.03	6	4.33	0.21	-0.09
8	assessment equipment	812	4.24	0.03	6	4.17	0.31	0.07
107	speci“c medication names	813	4.26	0.03	6	3.83	0.48	0.43
20	client education	815	4.29	0.03	6	3.83	0.31	0.46
98	safe hand-off/reporting process	815	4.31	0.03	6	4.17	0.31	0.14
93	restraints (e.g., chemical or physical)	814	4.31	0.03	6	4.00	0.37	0.31
27	communication techniques	813	4.33	0.02	6	4.00	0.26	0.33
70	lab values	809	4.34	0.03	6	3.83	0.48	0.50
26	communication barriers (e.g., hearing or language)	818	4.34	0.02	6	4.00	0.26	0.34

Table F. LPN/VN Educators and SME Knowledge Statement Ratings Rank Ordered by LPN/VN Educator Average Importance

Survey position #	Knowledge of:	LPN/VN Educators			SMEs			Avg. Difference
		N	Avg.	Std. Err.	N	Avg.	Std. Err.	
91	removal procedures (e.g., peripheral intravenous (IV) line, nasogastric (NG) tube or urinary catheter)	814	4.35	0.03	6	3.67	0.49	0.69
80	patient bill of rights	817	4.37	0.03	6	4.50	0.22	-0.13
81	personal limitations of the nurse	817	4.37	0.03	6	4.67	0.21	-0.29
43	drug classi“cations	814	4.42	0.02	6	3.17	0.54	1.25
39	disease processes	814	4.42	0.02	6	4.00	0.26	0.42
69	isolation equipment/supplies	813	4.44	0.02	5	4.20	0.37	0.24
19	client diagnosis/prognosis	812	4.44	0.02	6	4.33	0.33	0.11
1	accepted medical/nursing abbreviations	818	4.46	0.02	6	4.33	0.42	0.12
116	wound care	816	4.47	0.02	6	4.17	0.31	0.31
24	client positioning	814	4.48	0.02	6	4.33	0.33	0.14
44	drug interactions	817	4.48	0.02	6	4.67	0.21	-0.19
85	physical inspection and data collection	816	4.50	0.02	6	4.17	0.31	0.34
103	signs and symptoms of communicable disease	815	4.51	0.02	6	4.50	0.34	0.01
45	emergency procedures/equipment	815	4.52	0.02	6	4.67	0.21	-0.15
65	intake/output	813	4.54	0.02	6	4.33	0.21	0.21
18	client consent	815	4.54	0.02	6	4.67	0.21	-0.12
11	body mechanics	814	4.54	0.02	6	4.33	0.33	0.21
86	pressure reduction (e.g., prevention or treatment of pressure ulcer)	815	4.55	0.02	6	4.17	0.31	0.39
79	pain scales	818	4.56	0.02	6	4.33	0.21	0.23
105	skin integrity	812	4.57	0.02	6	4.33	0.21	0.23
5	anatomy/physiology	811	4.57	0.02	6	4.33	0.33	0.24

Linking of Knowledge Statements and Activity Statements
retraining program
data collection and analysis
documentation
client abilities
intake/output
nutrition
anatomy/physiology
proper use and maintenance of equipment
Evaluate pain using a rating scale
human growth and development
client education
data collection and analysis
communication techniques
documentation
anatomy/physiology
pain scales
Provide measures to promote sleep/rest
client positioning
data collection and analysis
communication techniques
alternative/complementary therapy
disease processes
client medical history
client education
facility resources
cultural/religious beliefs or practices
community resources
pharmacology
Use measures to maintain or improve client skin integrity
client positioning
anatomy/physiology
safety concerns
documentation
client education
assistive resources (e.g., staff or equipment)
nutrition
pressure reduction
critical signs and symptoms
infection control
risk factors for skin breakdown
Discontinue or remove peripheral intravenous (IV) line, naso-gastric (NG) tube or urinary catheter
anatomy/physiology
removal procedures (e.g., peripheral intravenous (IV) line, naso-gastric (NG) tube or urinary catheter)
safety concerns

Linking of Knowledge Statements and Activity Statements
client education
infection control
aseptic and sterile techniques
documentation
scope of practice
Perform an irrigation of urinary catheter, bladder, wound, ear, nose or eye
scope of practice
anatomy/physiology
safety concerns
client education
infection control
documentation
client positioning
aseptic and sterile techniques
irrigation procedures
Provide care to client in traction
anatomy/physiology
human growth and development
documentation
client education
client positioning
pain management
coping mechanisms
communication techniques
traction equipment
data collection and analysis
skin integrity
Apply or remove immobilizing equipment (e.g., a splint or brace)
immobilizing equipment
anatomy/physiology
human growth and development
documentation
client education
client positioning
pain management
coping mechanisms
skin integrity
communication techniques
Assist in providing post-mortem care
cultural/religious beliefs or practices
coping mechanisms
infection control
facility resources
community resources

Linking of Knowledge Statements and Activity Statements
Assist in the care and comfort for a client with a visual and/or hearing impairment
communication techniques
facility resources
learning styles
safety concerns
coping mechanisms
client education
Monitor client hydration status and intake/output
documentation
nutrition
data collection and analysis
client diagnoses/prognosis
lab values
6. Pharmacological Therapies
Follow the rights of medication administration
rights of medication administration
Reconcile and maintain current, accurate medication list or medication administration record (MAR)
documentation
trade names for medications
generic drug names
drug classi“cations
speci“c medication names
data collection and analysis
client diagnoses/prognosis
client medical history
Monitor transfusion of blood product
data collection and analysis
scope of practice
vital signs
critical signs and symptoms
client medical history
emergency procedures/equipment
documentation
rights of medication administration
Monitor and maintain client intravenous (IV) site and ”ow rate
data collection and analysis
scope of practice
vital signs
critical signs and symptoms
client medical history
emergency procedures/equipment
documentation
infection control
skin integrity

Linking of Knowledge Statements and Activity Statements
assistive resources (e.g., staff or equipment)
rights of medication administration
Administer medication by oral route
data collection and analysis
scope of practice
vital signs
critical signs and symptoms
client medical history
emergency procedures/equipment
documentation
infection control
assistive resources (e.g., staff or equipment)
drug interactions
rights of medication administration
communication techniques
pharmacology
Administer a subcutaneous (SQ), intradermal or intramuscular (IM) medication
data collection and analysis
scope of practice
vital signs
critical signs and symptoms
client medical history
emergency procedures/equipment
documentation
infection control
assistive resources (e.g., staff or equipment)
drug interactions
rights of medication administration
communication techniques
pharmacology
skin integrity
safety concerns
anatomy/physiology
Administer a medication by a route other than oral, injectable or intravenous (IV) (e.g., enteral tube, rectal or transdermal)
data collection and analysis
scope of practice
vital signs
critical signs and symptoms
client medical history
emergency procedures/equipment
documentation
infection control
assistive resources (e.g., staff or equipment)
drug interactions

Linking of Knowledge Statements and Activity Statements
communication techniques
Insert urinary catheter
proper use and maintenance of equipment
client medical history
documentation
anatomy/physiology
communication techniques
client positioning
aseptic and sterile techniques
Collect specimen (e.g., urine, stool, gastric contents or sputum for diagnostic testing)
infection control
documentation
client education
specimen collection procedure

Linking of Knowledge Statements and Activity Statements
community resources
Provide care for client drainage device (e.g., wound drain or chest tube)
infection control
anatomy/physiology
documentation
skin integrity
data collection and analysis
client education
emergency procedures/equipment
communication techniques
Remove client wound drainage device
infection control
anatomy/physiology
documentation
skin integrity
data collection and analysis
client education
emergency procedures/equipment
communication techniques
biohazardous waste
scope of practice
client identi“ers
Identify/intervene to control signs of hypoglycemia or hyperglycemia
documentation
data collection and analysis
emergency procedures/equipment
lab values
client medical history
pharmacology
client education
scope of practice
facility resources
Provide cooling/warming measures to restore normal temperature
client diagnoses/prognosis
emergency procedures/equipment
documentation
data collection and analysis
client medical history
Perform wound care and/or dressing change
assistive resources (e.g., staff or equipment)
aseptic and sterile techniques
infection control
biohazardous waste
skin integrity

Linking of Knowledge Statements and Activity Statements
wound care
anatomy/physiology
client identi“ers
documentation
Respond to a life-threatening situation
emergency procedures/equipment
documentation
data collection and analysis
client medical history
communication techniques
facility resources
advance directives
Intervene to improve client respiratory status (e.g., breathing treatment, suctioning or repositioning)
facility resources
client medical history
anatomy/physiology
client positioning
proper use and maintenance of equipment
emergency procedures/equipment
client education
documentation
data collection and analysis
aseptic and sterile techniques
Provide care for a client with a tracheostomy
facility resources
client medical history
anatomy/physiology
client positioning
proper use and maintenance of equipment
emergency procedures/equipment
client education
documentation
data collection and analysis
aseptic and sterile techniques
infection control
skin integrity
scope of practice
Identify and treat a client intravenous (IV) line in“ltration
signs and symptoms of intravenous (IV) line in“ltration
treatment options
documentation
skin integrity
infection control
removal procedures (e.g., peripheral intravenous (IV) line, naso-gastric (NG) tube or urinary catheter)

Linking of Knowledge Statements and Activity Statements
Remove wound sutures or staples
documentation
skin integrity
infection control
removal procedures (e.g., peripheral intravenous (IV) line, naso-gastric (NG) tube or urinary catheter)
supplies
aseptic and sterile techniques
Provide care to client on ventilator
facility resources
client medical history
anatomy/physiology
client positioning
proper use and maintenance of equipment
emergency procedures/equipment
client education
documentation
data collection and analysis
aseptic and sterile techniques
infection control
skin integrity
scope of practice
Perform check of client pacemaker
scope of practice
anatomy/physiology
documentation
data collection and analysis
proper use and maintenance of equipment
Perform care for client before or after diagnostic/surgical procedure
data collection and analysis
documentation
client medical history
client education
safety concerns
client identi“ers
client diagnoses/prognosis
vital signs
pain management
communication techniques
Identify abnormalities on a client cardiac monitor strip
data collection and analysis
client medical history
basic cardiac rhythms
scope of practice
Identify signs and symptoms of an infection

Linking of Knowledge Statements and Activity Statements
vital signs
data collection and analysis
documentation
skin integrity
infection control
client medical history
lab values
Provide care to client with an ostomy (e.g., colostomy, ileostomy or urostomy)
skin integrity
supplies
data collection and analysis
documentation
client education
communication techniques
wound care
anatomy/physiology
facility resources
infection control
standard/universal precautions
client medical history
coping mechanisms
psychosocial dynamics
Identify pathophysiology related to an acute or chronic condition
anatomy/physiology
disease processes
client medical history
data collection and analysis
Recognize signs and symptoms of complications and intervene appropriately when providing client care
anatomy/physiology
disease processes
communication techniques
client medical history
data collection and analysis
scope of practice
emergency procedures/equipment
critical signs and symptoms
drug interactions
lab values